





8 7 6 5 4 3 2 1

## NOTES:

1) ALL MECHANICALS PARTS: ALUMINUM 6061-T6  
 FINISH: ANODIZE, MIL-A-8625, TYPE II, CLASS II, BLACK FLAT  
 RoHS COMPLIANT

REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	-	PROTOTYPE	2/26/2019	
	A	REVISED PER CUSTOMER REQUESTED CHANGES	2/28/2019	
	B	UPDATED ENGRAVING AND DRAWING VIEWS	8/2/2019	JO



**PROPRIETARY AND CONFIDENTIAL**  
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SPECIAL OPTICS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SPECIAL OPTICS IS PROHIBITED.

MATERIAL: AS NOTED

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS AND INCLUDE CHEMICALLY APPLIED OR PLATED FINISHES.  
 DRAWING COMPLIES WITH ASME Y14.5M-1994

UNLESS OTHERWISE SPECIFIED UNTOLERANCED DIMENSIONS ARE BASIC

LINEAR TOL.:  $X = \pm .5$ ,  $X = \pm .25$ ,  $XX = \pm .13$   
 ANGULAR TOL.:  $X^o = \pm 25^\circ$ ,  $X^o = \pm 05^\circ$ ,  $XX^o = .005^\circ$

**OUTLINE**

**E SPECIAL OPTICS®** A NAITAR COMPANY Special Optics Inc.  
 3 Stewart Court Denville, NJ 07834

TITLE: **ASSEMBLY**  
**54-10-5 @ 450 - 725nm**

SIZE	PART NUMBER	REV
<b>B</b>	<b>1-29444</b>	<b>B</b>
SCALE: 2:1	WEIGHT: 29.80g	SHEET 1 OF 2

DO NOT SCALE DRAWING

MAX. SURF. ROUGHNESS:  $0.4\text{ }\mu\text{m}$

8 7 6 5 4 3 2 1